

PRODUCT INFORMATION

Common Name FPA-150, FPA150 Conjugate Unconjugated

Synonyms B7-H4;B7h.5;B7H4;B7S1;B7X;PRO1291;VCTN1

Applications ELISA; Flow Cyt

Recommended **Dilutions**

ELISA 1:5000-10000; Flow Cyt 1:100

Formulation & Reconstitution Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis

for specific instructions of reconstitution.

Host Species Homo sapiens

IgG type lgG1 Reactivity Human **Target B7H4 Uniprot ID** Q7Z7D3

Anti-B7-H4(alsevalimab biosimilar) mAb **Description**

Delivery In Stock

Storage & Shipping

Store at -20°C to -80°C for 12 months in

lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store

at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

témperature.

Research grade biosimilar. Not for use in

Background therapeutic or diagnostic procedures for humans

or animals.

Usage Research use only

> All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are

> > Email: info@dimabio.com Website: www.dimabio.com

DIMA Disclaimer actively scrutinizing all patent application to ensure no IP infringement.





Anti-B7H4 (alsevalimab biosimilar) mAb ELISA

0.1 µg of Human B7H4, hFc tagged protein per well




Figure 1. ELISA plate pre-coated by 1 μ g/ml (100 μ L/well) Human B7-H4, hFc-His tagged protein (PME100053) can bind Anti-B7-H4 Neutralizing antibody (BME100078) in a linear range of 3.2-80 ng/ml. In order to specifically detect BME100078, mouse anti-human Fab-specific antibody was used as detection antibody.




Figure 2. Flow cytometry analysis with 1 μ g/mL Anti-B7-H4 (alsevalimab) mAb (BME100078) on Expi293 cells transfected with Human B7-H4 protein (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram).

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)

Email: info@dimabio.com Website: www.dimabio.com

