

PRODUCT INFORMATION

Clone ID 19H8
Target FGF21

Synonyms Fibroblast growth factor 21;FGF-21

Host Species Rabbit

Description Anti-FGF21 antibody(19H8), IgG1 Chimeric mAb

Delivery In Stock
Uniprot ID Q9NSA1

IgG type Rabbit/Human Fc chimeric IgG1

Clonality Monoclonal
Reactivity Human
Applications ELISA

Recommended Dilutions

Storage & Shipping

ELISA 1/5000-10000

Purification Purified from cell culture supernatant by affinity

chromatography

Formulation & ReconstitutionLyophilized from sterile PBS, pH 7.4. Normally 5 %
- 8% trehalose is added as protectants before
lyophilization. Please see Certificate of Analysis

for specific instructions of reconstitution.

Store at -20°C to -80°C for 12 months in

lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient

temperature.

This gene encodes a member of the fibroblast growth factor (FGF) family. FGF family members possess broad mitogenic and cell survival activities and are involved in a variety of biological processes. This protein is a secreted

Backgroundbiological processes. This protein is a secreted endocrine factor that functions as a major metabolic regulator. The encoded protein

metabolic regulator. The encoded protein stimulates the uptake of glucose in adipose tissue. [provided by RefSeq, Mar 2016]

Usage Research use only

Conjugate Unconjugated

All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under

Email: info@dimabio.com Website: www.dimabio.com

DIMA Disclaimer patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are

actively scrutinizing all patent application to

ensure no IP infringement.





Anti-FGF21 (19H8) mAb ELISA 0.1µg of Human FGF21, hFc tagged Protein per well




Figure 1. ELISA plate pre-coated by 1 μ g/ml (100 μ l/well) Human FGF21, hFc tagged protein can bind Rabbit anti-FGF21 monoclonal antibody(clone: 19H8) in a linear range of 10-100 ng/ml.

Email: info@dimabio.com Website: www.dimabio.com

