

PRODUCT INFORMATION

Uniprot ID P26718
Common Name 5C5

Synonyms NKG2D,CD314,KLRK1,NK cell receptor D

Applications ELISA, Flow Cyt

Recommended Dilutions

ELISA 1:5000-10000, Flow Cyt 1:100

Formulation & Reconstitution

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis

for specific instructions of reconstitution.

Host Species Humanized

IgG typeIgG1ReactivityHumanTargetNKG2D

Description Anti-NKG2D(5C5 biosimilar) mAb

Delivery In Stock

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

Storage & Shipping intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized antibodies are shipped at ambient

témperature.

Research grade biosimilar. Not for use in

Email: info@dimabio.com Website: www.dimabio.com

Background therapeutic or diagnostic procedures for humans

or animals.

Usage Research use only

Conjugate Unconjugated



Anti-NKG2D(5C5 biosimilar) mAb ELISA

0.2 μg of Human NKG2D, mFc tagged protein per well




Figure 1. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human NKG2D Protein, mFc Tag (PME100079) can Anti-NKG2D(5C5 biosimilar) mAb (BME100207) in a linear range of 0.13–16 ng/mL.





Figure 2. Flow cytometry analysis with $1\mu g/mL$ Anti-NKG2D(5C5 biosimilar) mAb (BME100207) on Expi293 cells transfected with Human NKG2D and DAP10 protein (Blue histogram) or Expi293 transfected with DAP10 protein(Red histogram).



Email: info@dimabio.com Website: www.dimabio.com

