

PRODUCT INFORMATION

| | |
|---|---|
| Clone ID | 1E10 |
| Target | PGLYRP1 |
| Synonyms | PGRP-S |
| Host Species | Rabbit |
| Description | Anti-PGLYRP1 antibody(1E10), IgG1 Chimeric mAb |
| Delivery | In Stock |
| Uniprot ID | O75594 |
| IgG type | Rabbit/Human Fc chimeric IgG1 |
| Clonality | Monoclonal |
| Reactivity | Human |
| Applications | Flow Cyt |
| Recommended Dilutions | Flow Cyt 1/100 |
| Purification | Purified from cell culture supernatant by affinity chromatography |
| Formulation & Reconstitution | Lyophilized from sterile PBS, pH 7.4. Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. |
| Storage & Shipping | Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature. |
| Background | Pattern receptor that binds to murein peptidoglycans (PGN) of Gram-positive bacteria. Has bactericidal activity towards Gram-positive bacteria. May kill Gram-positive bacteria by interfering with peptidoglycan biosynthesis. Binds also to Gram-negative bacteria, and has bacteriostatic activity towards Gram-negative bacteria. Plays a role in innate immunity.[UniProtKB/Swiss-Prot Function] |
| Usage | Research use only |






Figure 1. Flow cytometry analysis (Intracellular) with 1 μ g/mL Anti-PGLYRP1 (1E10) mAb on Expi293 cells transfected with human PGLYRP1 (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram).

