Cat. No. BME100128



PRODUCT INFORMATION

Common Name J-591, MLN-591, huJ-591

Conjugate Unconjugated

Synonyms FGCP;FOLH;GCP2;GCPII;mGCP;NAALAD1;NAALAdase;PSM

ELISA; Flow Cyt **Applications**

Recommended

ELISA 1:5000-10000; Flow Cyt 1:100 Dilutions

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions Formulation & Reconstitution

of reconstitution.

Host Species Chimeric IgG type lgG1 Reactivity Human **Target PSMA Uniprot ID** Q04609

Description Anti-PSMA(rosopatamab biosimilar) mAb

Delivery

DIMA Disclaimer

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated

Storage & Shipping freezing and thawing). Lyophilized proteins are shipped

at ambient temperature.

Research grade biosimilar. Not for use in therapeutic or **Background**

diagnostic procedures for humans or animals.

Usage Research use only


All DIMA recombinant antibodies are genuinely

generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are actively

scrutinizing all patent application to ensure no IP

infringement.









Anti-PSMA (rosopatamab biosimilar) mAb ELISA

0.2 μg of Human PSMA, His tagged protein per well




Figure 1. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human PSMA Protein, His Tag PME100545 can bind Anti-PSMA Neutralizing antibody (BME100128) in a linear range of 3.66–234.38 ng/mL.




Figure 2. Flow cytometry analysis with 15 μ g/mL Anti-PSMA (rosopatamab biosimilar) mAb (BME100128) on Expi293 cells transfected with Human PSMA protein (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram).

Email: info@dimabio.com Website: www.dimabio.com





Anti-PSMA(rosopatamab biosimilar) mAb ELISA

0.2 μg of Human PSMA, hFc tagged protein per well




Figure 3. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human PSMA Protein, hFc Tag (PME100390) can bind Anti-PSMA(rosopatamab biosimilar) mAb (BME100128) in a linear range of 3.20–80 ng/mL. In order to specifically detect BME100128, mouse anti-human Fab-specific antibody was used as detection antibody.

Email: info@dimabio.com Website: www.dimabio.com

