Cat. No. DMC100741



PRODUCT INFORMATION

Clone ID 68H10 **SELPLG Target**

Synonyms PSGL-1,PSGL1,CD162,Selectin P ligand

Host Species Rabbit

Description Anti-SELPLG antibody(68H10), IgG1 Chimeric mAb

Delivery In Stock **Uniprot ID** A0A7N9CVJ8

IgG type Rabbit/Human Fc chimeric IgG1

Clonality Monoclonal Reactivity Human **Applications** IHC

Recommended

IHC 1:100 **Dilutions**

Purified from cell culture supernatant by affinity **Purification**

chromatography

Formulation & Reconstitution

Storage & Shipping

Background

Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient temperature.

This gene encodes a glycoprotein that functions as a high affinity counter-receptor for the cell adhesion molecules P-, E- and L- selectin expressed on myeloid cells and stimulated T lymphocytes. As such, this protein plays a critical role in leukocyte trafficking during inflammation by tethering of leukocytes to activated platelets or endothelia expressing selectins. This protein requires two post-translational importances and the conditional design.

tyrosine sulfation and the addition of the sialyl Lewis x tetrasaccharide (sLex) to its O-linked glycans, for its high-affinity binding activity.
Aberrant expression of this gene and

polymorphisms in this gene are associated with defects in the innate and adaptive immune response. Alternate splicing results in multiple

transcript variants.

Usage Research use only Conjugate Unconjugated

All DIMA recombinant antibodies are genuinely

generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are **DIMA Disclaimer** actively scrutinizing all patent application to

ensure no IP infringement.

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China)

/+86-400-006-0995(China)

Email: info@dimabio.com Website: www.dimabio.com








Figure 1. A. DMC100741 at $10\mu g/ml$ staining SELPLG in MM.1S xenografts in nude mice by IHC (SKU# DMC100741);B. DMC100741 at $10\mu g/ml$ staining SELPLG in human tonsil tissue by IHC (SKU# DMC100741)

