

**PRODUCT INFORMATION**

<b>Clone ID</b>	2B10
<b>Target</b>	TAFA5
<b>Synonyms</b>	FAM19A5;QLLK5208;TAFA-5;UNQ5208
<b>Host Species</b>	Rabbit
<b>Description</b>	Anti-TAFA5 antibody(2B10), Rabbit mAb
<b>Delivery</b>	In Stock
<b>Uniprot ID</b>	Q7Z5A7
<b>IgG type</b>	Rabbit mAb
<b>Clonality</b>	Monoclonal
<b>Reactivity</b>	Human
<b>Applications</b>	ELISA
<b>Recommended Dilutions</b>	ELISA 1/5000-10000
<b>Purification</b>	Purified from cell culture supernatant by affinity chromatography
<b>Formulation &amp; Reconstitution</b>	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
<b>Storage &amp; Shipping</b>	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
<b>Background</b>	This gene is a member of the TAFA family which is composed of five highly homologous genes that encode small secreted proteins. These proteins contain conserved cysteine residues at fixed positions, and are distantly related to MIP-1alpha, a member of the CC-chemokine family. The TAFA proteins are predominantly expressed in specific regions of the brain, and are postulated to function as brain-specific chemokines or neurokinins that act as regulators of immune and nervous cells. [provided by RefSeq, Sep 2013]
<b>Usage</b>	Research use only
<b>Conjugate</b>	Unconjugated



### Anti-TAFA5 (2B10) mAb ELISA

0.1 $\mu$ g of Human TAFA5, hFc tagged protein per well




Figure 1. ELISA plate pre-coated by 1  $\mu$ g/ml (100  $\mu$ l/well) Human TAFA5 Protein can bind Rabbit anti-TAFA5 monoclonal antibody(clone: 2B10) in a linear range of 1-100 ng/ml.

