

PRODUCT INFORMATION

Clone ID 3D7 ΔPP **Target**

AAA;ABETA;ABPP;AD1;APPI;CTFgamma;CVAP;PN-II;PN2;preA4 **Synonyms**

Host Species Rabbit

Description Biotinylated Anti-APP antibody(3D7); IgG1 Chimeric mAb

Delivery 2-3 weeks P05067 **Uniprot ID**

IgG type Rabbit/Human Fc chimeric IgG1

Clonality Monoclonal Reactivity Human **Applications** Flow Cyt

Recommended Flow Cyt 1/100 **Dilutions**

Purified from cell culture supernatant by affinity **Purification**

chromatography

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Formulation & Please see Certificate of Analysis for specific instructions of Reconstitution

reconstitution.

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and Storage & Shipping

thawing). Lyophilized proteins are shipped at ambient

temperature.

This gene encodes a cell surface receptor and transmembrane precursor protein that is cleaved by secretases to form a number of peptides. Some of these peptides are secreted and can bind to the acetyltransferase complex APBB1/TIP60 to promote transcriptional activation, while others form the protein basis of the amyloid plaques found in the brains of patients with Alzheimer disease. In addition, thus of the protein basis on artimization positions.

addition, two of the peptides are antimicrobial peptides, having been shown to have bacteriocidal and antifungal activities. Mutations in this gene have been implicated in autosomal dominant Alzheimer disease and cerebroarterial amyloidosis (cerebral amyloid angiopathy). Multiple transcript variants encoding several different isoforms have been found for this gene. Incovided by RefSeq. Aug. 20141 been found for this gene. [provided by RefSeq, Aug 2014]

> Email: info@dimabio.com Website: www.dimabio.com

Usage Research use only Conjugate Biotinylated

Background



