

## **PRODUCT INFORMATION**

Clone ID 1F2 CD<sub>2</sub>0 **Target** 

**Synonyms** B1;Bp35;CD20;CVID5;LEU-16;MS4A2;S7

**Host Species** 

Biotinylated Anti-CD20 antibody(1F2), IgG1 Description

Chimeric mAb

**Delivery** 2-3 weeks **Uniprot ID** P11836

Rabbit/Human Fc chimeric IgG1 IgG type

Clonality Monoclonal Reactivity Human **Applications** Flow Cyt

Recommended

Storage & Shipping

**Background** 

Flow Cyt 1/100 **Dilutions** 

Purified from cell culture supernatant by affinity **Purification** 

chromatography

Lyophilized from sterile PBS, pH 7.4. Normally 5 % Formulation & - 15% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Reconstitution

for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store at -87°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient

témperature.

This gene encodes a member of the membrane-spanning 4A gene family. Members of this nascent protein family are characterized by common structural features and similar

intron/exon splice boundaries and display unique expression patterns among hematopoietic cells and nonlymphoid tissues. This gene encodes a B-lymphocyte surface molecule which plays a role

in the development and differentiation of B-cells into plasma cells. This family member is localized to 11q12, among a cluster of family members. Alternative splicing of this gene results in two transcript variants which encode the same

> Email: info@dimabio.com Website: www.dimabio.com

Usage Research use only

Conjugate Biotinylated

