

PRODUCT INFORMATION

Clone ID DMC273 **Target CD36**

BDPLT10; CHDS7; FAT; GP3B; GP4; GPIV; PASIV; **Synonyms**

SCARB3

Host Species

Biotinylated Anti-CD36 antibody(DMC273); IgG1 **Description**

Chimeric mAb

Delivery 2-3 weeks **Uniprot ID** P16671

IgG type Rabbit/Human Fc chimeric IgG1

Clonality Monoclonal Reactivity Human **Applications** Flow Cyt

Recommended

Background

Flow Cyt 1:100 **Dilutions**

Purified from cell culture supernatant by affinity **Purification**

chromatography

Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Formulation & Reconstitution

for specific instructions of reconstitution.

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store Storage & Shipping at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

temperature.

The protein encoded by this gene is the fourth major glycoprotein of the platelet surface and serves as a receptor for thrombospondin in

platelets and various cell lines. Since

thrombospondins are widely distributed proteins involved in a variety of adhesive processes; this protein may have important functions as a cell adhesion molecule. It binds to collagen; thrombospondin; anionic phospholipids and oxidized LDL. It directly mediates cytoadherence

of Plasmodium falciparum parasitized erythrocytes and it binds long chain fatty acids and may function in the transport and:or as a regulator of fatty acid transport. Mutations in this gene cause platelet glycoprotein deficiency. Multiple alternatively spliced transcript variants have been found for this gene.

> Email: info@dimabio.com Website: www.dimabio.com

Usage Research use only

Conjugate Biotinylated

