Cat. No. DMC100721B



## **PRODUCT INFORMATION**

Clone ID DMC721 IGF-1R **Target** 

**Synonyms** CD221; IGFIR; IGFR; JTK13

**Host Species** Rabbit

Biotinylated Anti-IGF-1R antibody(DMC721); IgG1 Description

Chimeric mAb

**Delivery** 2-3 weeks **Uniprot ID** P08069

Rabbit/Human Fc chimeric IgG1 IgG type

Clonality Monoclonal Reactivity Human **Applications** Flow Cyt

Recommended

**Background** 

Flow Cyt 1/100 **Dilutions** 

Purified from cell culture supernatant by affinity **Purification** 

chromatography

Lyophilized from sterile PBS, pH 7.4. Normally 5 % Formulation & - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Reconstitution

for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store Storage & Shipping at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient

témperature.

This receptor binds insulin-like growth factor with a high affinity. It has tyrosine kinase activity. The insulin-like growth factor I receptor plays a critical role in transformation events. Cleavage of the precursor generates alpha and beta subunits. It is highly overexpressed in most malignant tissues

> Email: info@dimabio.com Website: www.dimabio.com

where it functions as an anti-apoptotic agent by enhancing cell survival. Alternatively spliced transcript variants encoding distinct isoforms have been found for this gene. [provided by

RefSeq, May 2014]

Usage Research use only

Conjugate Biotinylated

