

PRODUCT INFORMATION

C-Flag Tag Tag **Target** C5AR2

Synonyms C5L2; GPF77; GPR77

Human GPR77 full length protein-synthetic **Description**

nanodisc **Delivery** 3-4 weeks **Uniprot ID** Q9P296 **Expression Host HEK293**

Protein Families Druggable Genome, GPCR, Transmembrane

Protein Pathways

Formulation & Reconstitution

Storage & Shipping

The human full length C5AR2 protein has a MW of **Molecular Weight**

36.1 kDa Lyophilized from nanodisc solubilization buffer (20

mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis

for specific instructions. Do not use solvents with a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

témperature.

This gene encodes a G-protein coupled receptor 1 family member involved in the complement system of the innate immune response. Unlike classical G-protein coupled receptors, the encoded protein does not associate with

intracellular G-proteins. It may instead modulate **Background** signal transduction through the beta-arrestin pathway, and may alternatively act as a decoy

receptor. This gene may be involved in coronary artery disease and in the pathogenesis of sepsis. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Nov 2012]

> Email: info@dimabio.com Website: www.dimabio.com

Usage Research use only Conjugate Unconjugated





ELISA assay to evaluate GPR77-Nanodisc 0.2µg Human GPR77-Nanodisc per well




Figure 1. Elisa plates were pre-coated with Flag Tag GPR77-Nanodisc ($0.2\mu g/per$ well). Serial diluted anti-Flag monoclonal antibody solutions were added, washed, and incubated with secondary antibody before Elisa reading. From above data, the EC50 for anti-Flag monoclonal antibody binding with GPR77-Nanodisc is 3.415 ng/ml.



Figure 2. Human GPR77-Nanodisc, Flag Tag on SDS-PAGE

Email: info@dimabio.com Website: www.dimabio.com

