

## PRODUCT INFORMATION

<b>Target</b>	CD106
<b>Synonyms</b>	VCAM1;V-CAM 1;VCAM-1;INCAM-100
<b>Description</b>	Recombinant human CD106 protein with C-terminal 6×His tag
<b>Delivery</b>	In Stock
<b>Uniprot ID</b>	P19320
<b>Expression Host</b>	HEK293
<b>Tag</b>	C-6×His Tag
<b>Molecular Characterization</b>	CD106(Phe25-Glu698) 6×His tag
<b>Molecular Weight</b>	The protein has a predicted molecular mass of 75.1 kDa after removal of the signal peptide. The apparent molecular mass of CD106-His is approximately 100-130 kDa due to glycosylation.
<b>Purity</b>	The purity of the protein is greater than 85% as determined by SDS-PAGE and Coomassie blue staining.
<b>Formulation &amp; Reconstitution</b>	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
<b>Storage &amp; Shipping</b>	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
<b>Background</b>	This gene is a member of the Ig superfamily and encodes a cell surface sialoglycoprotein expressed by cytokine-activated endothelium. This type I membrane protein mediates leukocyte-endothelial cell adhesion and signal transduction, and may play a role in the development of arteriosclerosis and rheumatoid arthritis. Three alternatively spliced transcripts encoding different isoforms have been described for this gene. [provided by RefSeq, Dec 2010]
<b>Usage</b>	Research use only






Figure 1. Human CD106 Protein, His Tag on SDS-PAGE under reducing condition.

DIMABIO CONFIDENTIAL

