Cat. No. FLP100071



PRODUCT INFORMATION

Tag C-Flag Tag **Target** CD151

Synonyms GP27; MER2; PETA-3; RAPH; SFA1; TSPAN24 Human CD151 full length protein-synthetic **Description**

nanodisc **Delivery** In Stock **Uniprot ID** P48509 **Expression Host HEK293**

Druggable Genome, Transmembrane **Protein Families**

Protein Pathways

The human full length CD151 protein has a MW of **Molecular Weight**

28.3 kDa

Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before Formulation & Reconstitution lyophilization. Please see Certificate of Analysis

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Storage & Shipping

Lyophilized proteins are shipped at ambient

temperature.

The protein is a member of the transmembrane 4 superfamily, also known as the tetraspanin family. Most of these members are cell-surface proteins that are characterized by the presence of four hydrophobic domains. The proteins mediate signal transduction events that play a role in the regulation of cell development, activation, growth and motility. This encoded protein is a cell surface glycoprotein that is known to complex with

Background

integrins and other transmembrane 4 superfamily proteins. It is involved in cellular processes including cell adhesion and may regulate integrin trafficking and/or function. This protein enhances cell motility, invasion and metastasis of cancer cells. Multiple alternatively spliced transcript

> Email: info@dimabio.com Website: www.dimabio.com

variants that encode the same protein have been described for this gene.

Usage Research use only Conjugate Unconjugated





ELISA assay to evaluate CD151-Nanodisc 0.2µg Human CD151-Nanodisc per well




Figure 1. Elisa plates were pre-coated with Flag Tag CD151-Nanodisc ($0.2\mu g/per$ well). Serial diluted anti-Flag monoclonal antibody solutions were added, washed, and incubated with secondary antibody before Elisa reading. From above data, the EC50 for anti-Flag monoclonal antibody binding with CD151-Nanodisc is 4.446ng/ml.

Email: info@dimabio.com Website: www.dimabio.com



Figure 2. Human CD151-Nanodisc, Flag Tag on SDS-PAGE