

## **PRODUCT INFORMATION**

C-Flag Tag Tag **Target** CLDN3

**Synonyms** C7orf1; CPE-R2; CPETR2; HRVP1; RVP1 Human CLDN3 full length protein-synthetic **Description** 

nanodisc **Delivery** 3-4 weeks **Uniprot ID** 015551 **Expression Host HEK293** 

**Protein Families** Druggable Genome, Transmembrane

Cell adhesion molecules (CAMs), Leukocyte **Protein Pathways** transendothelial migration, Tight junction

The human full length CLDN3 protein has a MW of **Molecular Weight** 

Formulation & Reconstitution

**Background** 

Storage & Shipping

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient

temperature.

Tight junctions represent one mode of cell-to-cell adhesion in epithelial or endothelial cell sheets, forming continuous seals around cells and serving as a physical barrier to prevent solutes and water from passing freely through the paracellular space. These junctions are comprised of sets of continuous networking strands in the outwardly facing cytoplasmic leaflet, with complementary

grooves in the inwardly facing extracytoplasmic leaflet. The protein encoded by this intronless gene, a member of the claudin family, is an integral membrane protein and a component of tight junction strands. It is also a low-affinity receptor for Clostridium perfringens enterotoxin, and shares aa sequence similarity with a putative apoptosis-related protein found in rat. [provided

by RefSeq, Jul 2008]

Usage Research use only Conjugate Unconjugated

> Email: info@dimabio.com Website: www.dimabio.com





## ELISA assay to evaluate CLDN3-Nanodisc 0.2µg Human CLDN3-Nanodisc per well




Figure 1. Elisa plates were pre-coated with Flag Tag CLDN3-Nanodisc (0.2µg/per well). Serial diluted anti-Flag monoclonal antibody solutions were added, washed, and incubated with secondary antibody before Elisa reading. From above data, the EC50 for anti-Flag monoclonal antibody binding with CLDN3-Nanodisc is 6.725ng/ml.



Figure 2. Human CLDN3-Nanodisc, Flag Tag on SDS-PAGE

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)