

**PRODUCT INFORMATION**

<b>Target</b>	CLEC9A
<b>Synonyms</b>	CD370;DNDR-1;DNDR1;UNQ9341
<b>Description</b>	Recombinant Human CLEC9A Protein with N-terminal human Fc tag
<b>Delivery</b>	In Stock
<b>Uniprot ID</b>	Q6UXN8
<b>Expression Host</b>	HEK293
<b>Tag</b>	N-Human Fc Tag
<b>Molecular Characterization</b>	hFc(Glu99-Ala330) CLEC9A(Lys57-Val241)
<b>Molecular Weight</b>	The protein has a predicted molecular mass of 47.3 kDa after removal of the signal peptide. The apparent molecular mass of hFc-CLEC9A is approximately 55-70 kDa due to glycosylation.
<b>Purity</b>	The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining.
<b>Formulation &amp; Reconstitution</b>	Lyophilized from sterile PBS, pH 7.4. Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
<b>Storage &amp; Shipping</b>	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
<b>Background</b>	CLEC9A is a group V C-type lectin-like receptor (CTLR) that functions as an activation receptor and is expressed on myeloid lineage cells (Huysamen et al., 2008 [PubMed 18408006]). [supplied by OMIM, Aug 2008]
<b>Usage</b>	Research use only






Figure 1. Human CLEC9A Protein, hFc Tag on SDS-PAGE under reducing condition.

DIMABIO CONFIDENTIAL

