

## **PRODUCT INFORMATION**

C-Flag&Strep Tag Tag

**Target** CXCR5

**Synonyms** BLR1; CD185; MDR15

Human CXCR5-Strep full length protein-synthetic **Description** 

nanodisc **Delivery** 6~8weeks

**Uniprot ID** P32302 **Expression Host HEK293** 

**Protein Families** Druggable Genome, GPCR, Transmembrane

Chemokine signaling pathway, Cytokine-cytokine **Protein Pathways** 

receptor interaction

The human full length CXCR5-Strep protein has a **Molecular Weight** 

MW of 42 kDa

Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Formulation & Reconstitution

for specific instructions. Do not use solvents with pH lower than 6.5 in subsequent experiments. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store Storage & Shipping at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient

temperature.

A multi-pass membrane protein that belongs to the CXC chemokine receptor family. It is expressed in mature B-cells and Burkitt's lymphoma. This cytokine receptor binds to B-

lymphocyte chemoattractant (BLC), and is involved in B-cell migration into B-cell follicles of

> Email: info@dimabio.com Website: www.dimabio.com

spleen and Peyer patches.

**Usage** Research use only Conjugate Unconjugated

**Background** 

