

**PRODUCT INFORMATION**

<b>Target</b>	DSG2
<b>Synonyms</b>	CDHF5;HDGC
<b>Description</b>	Recombinant Human DSG2(24-609) Protein with C-terminal 6×His tag
<b>Delivery</b>	In Stock
<b>Uniprot ID</b>	Q14126
<b>Expression Host</b>	HEK293
<b>Tag</b>	C-6×His Tag
<b>Molecular Characterization</b>	DSG2(Leu24-Gly609) 6×His tag
<b>Molecular Weight</b>	The protein has a predicted molecular mass of 66.4 kDa after removal of the signal peptide. The apparent molecular mass of DSG2(24-609)-His is approximately 70-100 kDa due to glycosylation.
<b>Purity</b>	The purity of the protein is greater than 85% as determined by SDS-PAGE and Coomassie blue staining.
<b>Formulation &amp; Reconstitution</b>	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
<b>Storage &amp; Shipping</b>	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
<b>Background</b>	This gene encodes a member of the desmoglein family and cadherin cell adhesion molecule superfamily of proteins. Desmogleins are calcium-binding transmembrane glycoprotein components of desmosomes, cell-cell junctions between epithelial, myocardial, and other cell types. The encoded preproprotein is proteolytically processed to generate the mature glycoprotein. This gene is present in a gene cluster with other desmoglein gene family members on chromosome 18. Mutations in this gene have been associated with arrhythmogenic right ventricular dysplasia, familial, 10. [provided by RefSeq, Jan 2016]
<b>Usage</b>	Research use only
<b>Conjugate</b>	Unconjugated





Figure 1. Human DSG2(24-609) Protein, His Tag on SDS-PAGE under reducing condition.

DIMABIO CONFIDENTIAL

