

PRODUCT INFORMATION

| | |
|---|---|
| Target | EFNA4 |
| Synonyms | EFL4; EPLG4; LERK4; LERK-4 |
| Description | Recombinant human EFNA4 Protein with C-terminal human Fc tag |
| Delivery | In Stock |
| Uniprot ID | P52798 |
| Expression Host | HEK293 |
| Tag | C-Human Fc tag |
| Molecular Characterization | EFNA4(Leu26-Glu169) hFc(Glu99-Ala330) |
| Molecular Weight | The protein has a predicted molecular mass of 42.4 kDa after removal of the signal peptide. The apparent molecular mass of EFNA4-hFc is approximately 35-55 kDa due to glycosylation. |
| Purity | The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining. |
| Formulation & Reconstitution | Lyophilized from sterile PBS, pH 7.4. Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. |
| Storage & Shipping | Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature. |
| Background | This gene encodes a member of the ephrin (EPH) family. The ephrins and EPH-related receptors comprise the largest subfamily of receptor protein-tyrosine kinases and have been implicated in mediating developmental events, especially in the nervous system and in erythropoiesis. Based on their structures and sequence relationships, ephrins are divided into the ephrin-A (EFNA) class, which are anchored to the membrane by a glycosylphosphatidylinositol linkage, and the ephrin-B (EFNB) class, which are transmembrane proteins. This gene encodes an EFNA class ephrin that has been implicated in proliferation and metastasis of several types of cancers. [provided by RefSeq, May 2022] |
| Usage | Research use only |






Figure 1. Human EFNA4 Protein, hFc Tag on SDS-PAGE under reducing condition.

DIMABIO CONFIDENTIAL

