

PRODUCT INFORMATION

Target FOLR1

Synonyms FBP;FOLR;FRalpha

Recombinant Human FOLR1 Protein with C-**Description**

terminal 6×His tag

Delivery In Stock **Uniprot ID** P15328 **Expression Host HEK293** Tag C-6×His Tag

Molecular

Purity

FOLR1(Arg25-Ser234) 6×His tag Characterization

The protein has a predicted molecular mass of **Molecular Weight** 25.5 kDa after removal of the signal peptide.

The purity of the protein is greater than 90% as determined by SDS-PAGE and Coomassie blue

staining.

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before Formulation &

lyophilization. Please see Certificate of Analysis Reconstitution for specific instructions of reconstitution.

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Storage & Shipping

Lyophilized proteins are shipped at ambient

temperature.

The protein encoded by this gene is a member of the folate receptor family. Members of this gene family bind folic acid and its reduced derivatives, and transport 5-methyltetrahydrofolate into cells. This gene product is a secreted protein that either

anchors to membranes via a glycosyl-

phosphatidylinositol linkage or exists in a soluble **Background**

form. Mutations in this gene have been associated with neurodegeneration due to cerebral folate transport deficiency. Due to the presence of two promoters, multiple transcription start sites, and alternative splicing, multiple transcript variants encoding the same protein

have been found for this gene.

Usage Research use only

Conjugate Unconjugated










Figure 1.Human FOLR1 Protein, His Tag on SDS-PAGE under reducing condition.

Human FOLR1, His Tagged protein ELISA

 $0.2 \mu g$ of Human FOLR1, His tagged protein per well




Figure 2. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human FOLR1 Protein, His Tag (PME100249) can bind Anti-FOLR1 antibody(DMC391), IgG1 Chimeric mAb in a linear range of 3.20–80 ng/mL.

Email: info@dimabio.com Website: www.dimabio.com





Human FOLR1, His Tagged protein ELISA

0.2 μg of Human FOLR1, His tagged protein per well




Figure 3. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human FOLR1 Protein, His Tag (PME100249) can bind Anti-FOLR1(farletuzumab biosimilar) mAb (BME100163) in a linear range of 0.64–16 ng/mL.

Human FOLR1, His Tagged protein ELISA

0.2 μg of Human FOLR1, His tagged protein per well




Figure 4. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human FOLR1 Protein, His Tag (PME100249) can bind Anti-FOLR1(mirvetuximab biosimilar) mAb (BME100178) in a linear range of 0.64–16 ng/mL.

Email: info@dimabio.com Website: www.dimabio.com

