Cat. No. FLP100121



PRODUCT INFORMATION

C-Flag Tag Tag **Target** GLP1R

Synonyms GLP-1; GLP-1-R; GLP-1R

Human GLP1R full length protein-synthetic **Description**

nanodisc **Delivery** In Stock **Uniprot ID** P43220 **Expression Host HEK293**

Druggable Genome, ES Cell Differentiation/IPS, **Protein Families**

GPCR, Transmembrane

Protein Pathways Neuroactive ligand-receptor interaction

The human full length GLP1R protein has a MW of **Molecular Weight**

53.0 kDa

Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before Formulation & Reconstitution lyophilization. Please see Certificate of Analysis

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store Storage & Shipping at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient

temperature.

A 7-transmembrane protein that functions as a receptor for glucagon-like peptide 1 (GLP-1) hormone, which stimulates glucose-induced insulin secretion. This receptor, which functions at the cell surface, becomes internalized in response to GLP-1 and GLP-1 analogs, and it plays an important role in the signaling cascades leading


Background to insulin secretion. It also displays

neuroprotective effects in animal models. Polymorphisms in this gene are associated with diabetes. The protein is an important drug target for the treatment of type 2 diabetes and stroke. Alternative splicing of this gene results in multiple transcript variants.

Usage Research use only

Unconjugated Conjugate

> Email: info@dimabio.com Website: www.dimabio.com







ELISA assay to evaluate GLP1R-Nanodisc 0.2µg Human GLP1R-Nanodisc per well




Figure 1. Elisa plates were pre-coated with Flag Tag GLP1R-Nanodisc ($0.2\mu g/per$ well). Serial diluted anti-Flag monoclonal antibody solutions were added, washed, and incubated with secondary antibody before Elisa reading. From above data, the EC50 for anti-Flag monoclonal antibody binding with GLP1R-Nanodisc is 3.549ng/ml.



Figure 2. Human GLP1R-Nanodisc, Flag Tag on SDS-PAGE

Email: info@dimabio.com Website: www.dimabio.com

