Human IL1RA Protein, hFc Tag Cat. No. PME100886



## **PRODUCT INFORMATION**

Target	IL1RA
Synonyms	CD121A;D2S1473;IL-1R-alpha;IL1R;IL1RA;P80
Description	Recombinant Human IL1RA Protein with C- terminal human Fc tag
Delivery	In Stock
Uniprot ID	P14778
<b>Expression Host</b>	HEK293
Тад	C-Human Fc Tag
Molecular Characterization	IL1RA(Leu18-Thr332) hFc(Glu99-Ala330)
Molecular Weight	The protein has a predicted molecular mass of 62.3 kDa after removal of the signal peptide.The apparent molecular mass of IL1RA-hFc is approximately 55-70 kDa due to glycosylation.
Purity	The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining.
Formulation & Reconstitution	Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
Storage & Shipping	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Background	This gene encodes a cytokine receptor that belongs to the interleukin-1 receptor family. The encoded protein is a receptor for interleukin-1 alpha, interleukin-1 beta, and interleukin-1 receptor antagonist. It is an important mediator involved in many cytokine-induced immune and inflammatory responses. This gene is located in a cluster of related cytokine receptor genes on chromosome 2q12. [provided by RefSeq, Dec 2013]
Usage	Research use only
Conjugate	Unconjugated

Email: info@dimabio.com Website: www.dimabio.com



Human IL1RA Protein, hFc Tag Cat. No. PME100886





Figure 1. Human IL1RA Protein, hFc Tag on SDS-PAGE under reducing condition.

Email: info@dimabio.com Website: www.dimabio.com

