

PRODUCT INFORMATION

Tag C-Flag Tag

Target LGR4

Synonyms BNMD17; GPR48

Human LGR4 full length protein-synthetic **Description**

nanodisc **Delivery** In Stock **Uniprot ID** Q9BXB1

Expression Host HEK293

Druggable Genome, GPCR, Transmembrane **Protein Families**

Protein Pathways

The human full length LGR4 protein has a MW of **Molecular Weight**

104.5 kDa

Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before Formulation & Reconstitution

lyophilization. Please see Certificate of Analysis

Store at -20°C to -80°C for 12 months in

lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Storage & Shipping

Lyophilized proteins are shipped at ambient

temperature.

Receptor for R-spondins that potentiates the canonical Wnt signaling pathway and is involved in the formation of various organs. Upon binding to R-spondins (RSPO1, RSPO2, RSPO3 or RSPO4) associates with phosphorylated LRP6 and frizzled receptors that are activated by extracellular line. receptors, triggering the canonical Wnt signaling

pathway to increase expression of target genes. In contrast to classical G-protein coupled **Background** receptors, does not activate heterotrimeric G-proteins to transduce the signal. Its function as

activator of the Wnt signaling pathway is required for the development of various organs, including liver, kidney, intestine, bone, reproductive tract

> Email: info@dimabio.com Website: www.dimabio.com

and eye.

Usage Research use only

Conjugate Unconjugated



ELISA assay to evaluate LGR4-Nanodisc 0.2µg Human LGR4-Nanodisc per well




Figure 1. Elisa plates were pre-coated with Flag Tag LGR4-Nanodisc ($0.2\mu g/per$ well). Serial diluted anti-Flag monoclonal antibody solutions were added, washed, and incubated with secondary antibody before Elisa reading. From above data, the EC50 for anti-Flag monoclonal antibody binding with LGR4-Nanodisc is 5.224 ng/ml.



Figure 2. Human LGR4-Nanodisc, Flag Tag on SDS-PAGE

Email: info@dimabio.com Website: www.dimabio.com

