

## **PRODUCT INFORMATION**

Nectin-4 **Target** 

LNIR; PRR4; EDSS1; PVRL4; NECTIN4 Synonyms

Recombinant human Nectin-4(145-247) Protein **Description** 

with C-terminal human Fc tag

**Delivery** In Stock **Uniprot ID Q96NY8 Expression Host HEK293** 

Tag C-Human Fc tag

Molecular

**Molecular Weight** 

**Background** 

Nectin-4(Val145-Glu247) hFc(Glu99-Ala330) Characterization

> The protein has a predicted molecular mass of 37.0 kDa after removal of the signal peptide. The apparent molecular mass of Nectin-4(145-247)-hFc is approximately 35-55 kDa due to

glycosylation.

The purity of the protein is greater than 95% as Purity determined by SDS-PAGE and Coomassie blue

staining.

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Formulation & Reconstitution

for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Storage & Shipping

Lyophilized proteins are shipped at ambient

temperature.

This gene encodes a member of the nectin family.

The encoded protein contains two

immunoglobulin-like (Ig-like) C2-type domains and one Ig-like V-type domain. It is involved in cell adhesion through trans-homophilic and -heterophilic interactions. It is a single-pass type I membrane protein. The soluble form is produced by proteolytic cleavage at the cell surface by the metalloproteinase ADAM17/TACE. The secreted

form is found in both breast tumor cell lines and breast tumor patients. Mutations in this gene are the cause of ectodermal dysplasia-syndactyly syndrome type 1, an autosomal recessive disorder. Alternatively spliced transcript variants have been found but the full-length nature of the

variant has not been determined.[provided by

RefSeq, Jan 2011]

**Usage** Research use only








Figure 1. Human Nectin-4(145-247) Protein, hFc Tag on SDS-PAGE under reducing condition.



