

## **PRODUCT INFORMATION**

C-Flag Tag Tag PROM1 **Target** 

Molecular The human full length PROM1 protein has a MW

Characterization of 97.2 kDa

AC133; CD133; CORD12; MCDR2; MSTP061; PROML1; RP41; STGD4 **Synonyms** 

Human PROM1 full length protein-synthetic **Description** 

nanodisc

In Stock Delivery **Uniprot ID** 043490 **Expression Host HEK293** 

Druggable Genome, ES Cell Differentiation/IPS, **Protein Families** 

Transmembrane

**Protein Pathways** 

Storage & Shipping

**Background** 

The human full length PROM1 protein has a MW **Molecular Weight** 

of 97.2 kDa

Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% Formulation & 8% trehalose is added as protectants before Reconstitution lyophilization. Please see Certificate of Analysis

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient

temperature.

A pentaspan transmembrane glycoprotein. The protein localizes to membrane protrusions and is often expressed on adult stem cells, where it is thought to function in maintaining stem cell properties by suppressing differentiation.

Mutations in this gene have been shown to result

in retinitis pigmentosa and Stargardt disease. Expression of this gene is also associated with several types of cancer. This gene is expressed from at least five alternative promoters that are expressed in a tissue-dependent manner. Multiple transcript variants encoding different isoforms

have been found for this gene.

Usage Research use only Conjugate Unconjugated

Email: info@dimabio.com Website: www.dimabio.com





## ELISA assay to evaluate PROM1-Nanodisc 0.2µg Human PROM1-Nanodisc per well




Figure 1. Elisa plates were pre-coated with Flag Tag PROM1-Nanodisc ( $0.2\mu g/per$  well). Serial diluted anti-Flag monoclonal antibody solutions were added, washed, and incubated with secondary antibody before Elisa reading. From above data, the EC50 for anti-Flag monoclonal antibody binding with PROM1-Nanodisc is 5.105 ng/ml.



Figure 2. Human PROM1-Nanodisc, Flag Tag on SDS-PAGE

Email: info@dimabio.com Website: www.dimabio.com