Cat. No. DME100068P



PRODUCT INFORMATION

Clone ID **DM68**

Target 4-1BB Ligand

Synonyms 4-1BB Ligand; TNFSF9; CD137L

Host Species Rabbit

PE-conjugated Anti-4-1BB Ligand antibody(DM68); Description

Rabbit mAb

Delivery 3-4 weeks **Uniprot ID** P41273 Rabbit IgG IgG type Clonality Monoclonal Reactivity Human

Applications Flow Cyt

Recommended

Flow Cyt 1:100 **Dilutions**

Purified from cell culture supernatant by affinity **Purification**

chromatography

Formulation & Reconstitution

Liquid PBS with 0.05% Proclin300, 1% BSA

Storage & Shipping Store at 2°C-8°C for 6 months

> The protein encoded by this gene is a cytokine that belongs to the tumor necrosis factor (TNF) ligand family. This transmembrane cytokine is a bidirectional signal transducer that acts as a ligand for TNFRSF9:4-1BB; which is a

costimulatory receptor molecule in T lymphocytes. This cytokine and its receptor are involved in the antigen presentation process and in the generation of cytotoxic T cells. The receptor TNFRSF9:4-1BB is absent from resting T lymphocytes but repidly expressed upon

Background lymphocytes but rapidly expressed upon antigenic stimulation. The ligand encoded by this gene; TNFSF9:4-1BBL; has been shown to reactivate anergic T lymphocytes in addition to

promoting T lymphocyte proliferation. This cytokine has also been shown to be required for the optimal CD8 responses in CD8 T cells. This cytokine is expressed in carcinoma cell lines; and is thought to be involved in T cell-tumor cell

> Email: info@dimabio.com Website: www.dimabio.com

interaction.

Usage Research use only Conjugate PE-conjugated

