

## PRODUCT INFORMATION

|   |   |
|---|---|
| <b>Clone ID</b>                         | DMC481  |
| <b>Target</b>                           | ADGRE1  |
| <b>Synonyms</b>                         | EMR1; TM7LN3  |
| <b>Host Species</b>                     | Rabbit  |
| <b>Description</b>                      | PE-conjugated Anti-ADGRE1 antibody(DMC481);<br>IgG1 Chimeric mAb  |
| <b>Delivery</b>                         | 3-4 weeks   |
| <b>Uniprot ID</b>                       | Q14246  |
| <b>IgG type</b>                         | Rabbit/Human Fc chimeric IgG1   |
| <b>Clonality</b>                        | Monoclonal  |
| <b>Reactivity</b>                       | Human   |
| <b>Applications</b>                     | Flow Cyt  |
| <b>Recommended Dilutions</b>            | Flow Cyt 1:100  |
| <b>Purification</b>                     | Purified from cell culture supernatant by affinity chromatography   |
| <b>Formulation &amp; Reconstitution</b> | Liquid□PBS with 0.05% Proclin300, 1% BSA  |
| <b>Storage &amp; Shipping</b>           | Store at 2°C-8°C for 6 months   |
| <b>Background</b>                       | This gene encodes a protein that has a domain resembling seven transmembrane G protein-coupled hormone receptors (7TM receptors) at its C-terminus. The N-terminus of the encoded protein has six EGF-like modules; separated from the transmembrane segments by a serine:threonine-rich domain; a feature reminiscent of mucin-like; single-span; integral membrane glycoproteins with adhesive properties. Multiple alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq; Jan 2012] |
| <b>Usage</b>                            | Research use only   |
| <b>Conjugate</b>                        | PE-conjugated   |

