

**PRODUCT INFORMATION**

<b>Clone ID</b>	DM158
<b>Target</b>	AXL
<b>Synonyms</b>	AXL;UFO
<b>Host Species</b>	Rabbit
<b>Description</b>	PE-conjugated Anti-AXL antibody(DM158); Rabbit mAb
<b>Delivery</b>	3-4 weeks
<b>Uniprot ID</b>	P30530
<b>IgG type</b>	Rabbit IgG
<b>Clonality</b>	Monoclonal
<b>Reactivity</b>	Human
<b>Applications</b>	Flow Cyt
<b>Recommended Dilutions</b>	Flow Cyt 1:100
<b>Purification</b>	Purified from cell culture supernatant by affinity chromatography
<b>Formulation &amp; Reconstitution</b>	Liquid□PBS with 0.05% Proclin300, 1% BSA
<b>Storage &amp; Shipping</b>	Store at 2°C-8°C for 6 months
<b>Background</b>	The protein encoded by this gene is a member of the Tyro3-Axl-Mer (TAM) receptor tyrosine kinase subfamily. The encoded protein possesses an extracellular domain which is composed of two immunoglobulin-like motifs at the N-terminal; followed by two fibronectin type-III motifs. It transduces signals from the extracellular matrix into the cytoplasm by binding to the vitamin K-dependent protein growth arrest-specific 6 (Gas6). This gene may be involved in several cellular functions including growth; migration; aggregation and anti-inflammation in multiple cell types. Alternative splicing results in multiple transcript variants of this gene.
<b>Usage</b>	Research use only
<b>Conjugate</b>	PE-conjugated

