

## **PRODUCT INFORMATION**

**Clone ID DM45** CD138 **Target** 

**Synonyms** SDC1; Syndecan-1; CD138; SYND1; SDC

**Host Species** 

PE-conjugated Anti-CD138 antibody(DM45); Rabbit mAb Description

**Delivery** 3-4 weeks **Uniprot ID** P18827 IgG type Rabbit IgG Clonality Monoclonal Reactivity Human **Applications** Flow Cyt

Recommended

Flow Cyt 1:100 **Dilutions** 

Purified from cell culture supernatant by affinity **Purification** 

chromatography

Formulation & Reconstitution

**Background** 

Liquid PBS with 0.05% Proclin300, 1% BSA

Storage & Shipping Store at 2°C-8°C for 6 months

> Syndecan-1 (SYND1 or SDC1) is also known as CD antigen CD138; is a transmembrane (type I) heparan sulfate proteoglycan and is a member of the syndecan proteoglycan family. The syndecans mediate cell binding; cell signaling; and

cytoskeletal organization and syndecan receptors are required for internalization of the HIV-1 tat protein. The syndecan-1 : SDC1 protein functions

as an integral membrane protein and participates in cell proliferation; cell migration and cell-matrix interactions via its receptor for extracellular matrix proteins. It is a useful marker for plasma cells; but only if the cells tested are already

> Email: info@dimabio.com Website: www.dimabio.com

known to be derived from blood.

Usage Research use only PE-conjugated Conjugate

