

PRODUCT INFORMATION

| | |
|---|--|
| Clone ID | DM103 |
| Target | CD30 |
| Synonyms | TNFRSF8;CD30;D1S166E;Ki-1 |
| Host Species | Rabbit |
| Description | PE-conjugated Anti-CD30 antibody(DM103); Rabbit mAb |
| Delivery | 3-4 weeks |
| Uniprot ID | P28908 |
| IgG type | Rabbit IgG |
| Clonality | Monoclonal |
| Reactivity | Human |
| Applications | Flow Cyt |
| Recommended Dilutions | Flow Cyt 1:100 |
| Purification | Purified from cell culture supernatant by affinity chromatography |
| Formulation & Reconstitution | Liquid□PBS with 0.05% Proclin300, 1% BSA |
| Storage & Shipping | Store at 2°C-8°C for 6 months |
| Background | The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor is expressed by activated; but not by resting; T and B cells. TRAF2 and TRAF5 can interact with this receptor; and mediate the signal transduction that leads to the activation of NF-kappaB. This receptor is a positive regulator of apoptosis; and also has been shown to limit the proliferative potential of autoreactive CD8 effector T cells and protect the body against autoimmunity. Two alternatively spliced transcript variants of this gene encoding distinct isoforms have been reported. |
| Usage | Research use only |
| Conjugate | PE-conjugated |

