Cat. No. DME100201P



PRODUCT INFORMATION

Clone ID DM201

Target CD30 Ligand

CD30-L;CD153;TNFSF8;CD30L;CD30LG;CD153 **Synonyms**

antigen; CD30 antigen ligand; CD30 Ligand

Host Species

PE-conjugated Anti-CD30 Ligand antibody(DM201); Rabbit mAb **Description**

Delivery 3-4 weeks **Uniprot ID** P32971 IgG type Rabbit IgG

Clonality Monoclonal Reactivity Human

Applications Flow Cyt

Recommended

Formulation &

Background

Flow Cyt 1:100 **Dilutions**

Purified from cell culture supernatant by affinity **Purification**

chromatography

Liquid

☐PBS with 0.05% Proclin300, 1% BSA Reconstitution

Storage & Shipping Store at 2°C-8°C for 6 months

> The protein encoded by this gene is a cytokine that belongs to the tumor necrosis factor (TNF) ligand family. This cytokine is a ligand for TNFRSF8:CD30; which is a cell surface antigen and a marker for Hodgkin lymphoma and related hematologic malignancies. The engagement of this cytokine expressed on B cell surface plays an intribute and the surface plays are surface plays and the surface plays are surface plays and the surface plays and the surface plays are surface p inhibitory role in modulating Ig class switch. This cytokine was shown to enhance cell proliferation of some lymphoma cell lines; while to induce cell

> death and reduce cell proliferation of other lymphoma cell lines. The pleiotropic biologic activities of this cytokine on different CD30 lymphoma cell lines may play a pathologic lymphoma cell lines may play a pathologic role in Hodgkin's and some non-Hodgkin's lymphomas. Two transcript variants encoding different isoforms have been found for this gene.

> > Email: info@dimabio.com Website: www.dimabio.com

Usage Research use only Conjugate PE-conjugated

