

PRODUCT INFORMATION

Clone ID 1G2 CD3E **Target** CD3e;T3E **Synonyms Host Species** Rabbit

PE-conjugated Anti-CD3E antibody(1G2), IgG1 Description

Chimeric mAb

Delivery 3-4 weeks **Uniprot ID** P07766

IgG type Rabbit/Human Fc chimeric IgG1

Clonality Monoclonal Reactivity Human **Applications** Flow Cyt

Recommended Flow Cyt 1:100 **Dilutions**

Formulation &

Background

Purified from cell culture supernatant by affinity **Purification**

chromatography

Liquid PBS with 0.05% Proclin300, 1% BSA Reconstitution

Storage & Shipping Store at 2°C-8°C for 6 months

The protein encoded by this gene is the CD3-epsilon polypeptide, which together with CD3gamma, -delta and -zeta, and the T-cell receptor alpha/beta and gamma/delta heterodimers, forms the T-cell receptor-CD3 complex. This complex plays an important role in coupling antigen recognition to several intracellular signaltransduction pathways. The genes encoding the

epsilon, gamma and delta polypeptides are located in the same cluster on chromosome 11. The epsilon polypeptide plays an essential role in T-cell development. Defects in this gene cause immunodeficiency. This gene has also been linked to a susceptibility to type I diabetes in women. [provided by RefSeq, Jul 2008]

Usage Research use only PE-conjugated Conjugate



