

## PRODUCT INFORMATION

<b>Clone ID</b>	DM164
<b>Target</b>	CD40 Ligand
<b>Synonyms</b>	CD40LG;CD154;CD40L;HIGM1;IGM;IMD3;T-BAM;TNFSF5;TRAP;gp39
<b>Host Species</b>	Rabbit
<b>Description</b>	PE-conjugated Anti-CD40 Ligand antibody(DM164); Rabbit mAb
<b>Delivery</b>	3-4 weeks
<b>Uniprot ID</b>	P29965
<b>IgG type</b>	Rabbit IgG
<b>Clonality</b>	Monoclonal
<b>Reactivity</b>	Human
<b>Applications</b>	Flow Cyt
<b>Recommended Dilutions</b>	Flow Cyt 1:100
<b>Purification</b>	Purified from cell culture supernatant by affinity chromatography
<b>Formulation &amp; Reconstitution</b>	Liquid□PBS with 0.05% Proclin300, 1% BSA
<b>Storage &amp; Shipping</b>	Store at 2°C-8°C for 6 months
<b>Background</b>	The protein encoded by this gene is expressed on the surface of T cells. It regulates B cell function by engaging CD40 on the B cell surface. A defect in this gene results in an inability to undergo immunoglobulin class switch and is associated with hyper-IgM syndrome.
<b>Usage</b>	Research use only
<b>Conjugate</b>	PE-conjugated

