Cat. No. DME100108P



PRODUCT INFORMATION

Clone ID DM108 CSF1R **Target**

Synonyms CSF1R;C-FMS;CD115;CSFR;FIM2;FMS;M-CSFR

Host Species

PE-conjugated Anti-CSF1R antibody(DM108); Rabbit mAb Description

Delivery 3-4 weeks **Uniprot ID** P07333 **IgG** type Rabbit IgG Clonality Monoclonal Reactivity Human **Applications** Flow Cyt

Recommended

Flow Cyt 1:100 **Dilutions**

Purified from cell culture supernatant by affinity **Purification**

chromatography

Formulation & Reconstitution

Background

Liquid PBS with 0.05% Proclin300, 1% BSA

Storage & Shipping Store at 2°C-8°C for 6 months

> The protein encoded by this gene is the receptor for colony stimulating factor 1; a cytokine which controls the production; differentiation; and function of macrophages. This receptor mediates most if not all of the biological effects of this cytokine. Ligand binding activates the receptor kinase through a process of oligomerization and transphosphorylation. The encoded protein is a tyrosine kinase transmembrane receptor and member of the CSF1:PDGF receptor family of tyrosine-protein kinases. Mutations in this gene

> have been associated with a predisposition to myeloid malignancy. The first intron of this gene contains a transcriptionally inactive ribosomal protein L7 processed pseudogene oriented in the opposite direction. Alternative splicing results in multiple transcript variants. Expression of a splice variant from an LTR promoter has been found in Hodgkin lymphoma (HL); HL cell lines and

> > Email: info@dimabio.com Website: www.dimabio.com

anaplastic large cell lymphoma.

Usage Research use only Conjugate PE-conjugated

