

**PRODUCT INFORMATION**

|   |  |
|---|--|
| <b>Clone ID</b>                         | 8D1  |
| <b>Target</b>                           | GAS6   |
| <b>Synonyms</b>                         | AXLLG;AXSF   |
| <b>Host Species</b>                     | Rabbit   |
| <b>Description</b>                      | PE-conjugated Anti-GAS6 antibody(8D1), IgG1 Chimeric mAb   |
| <b>Delivery</b>                         | Under Development  |
| <b>Uniprot ID</b>                       | Q14393   |
| <b>IgG type</b>                         | Rabbit/Human Fc chimeric IgG1  |
| <b>Clonality</b>                        | Monoclonal   |
| <b>Reactivity</b>                       | Human  |
| <b>Applications</b>                     | Flow Cyt   |
| <b>Recommended Dilutions</b>            | Flow Cyt 1:100   |
| <b>Purification</b>                     | Purified from cell culture supernatant by affinity chromatography  |
| <b>Formulation &amp; Reconstitution</b> | Liquid□PBS with 0.05% Proclin300, 1% BSA   |
| <b>Storage &amp; Shipping</b>           | Store at 2°C-8°C for 6 months  |
| <b>Background</b>                       | This gene encodes a gamma-carboxyglutamic acid (Gla)-containing protein thought to be involved in the stimulation of cell proliferation. This gene is frequently overexpressed in many cancers and has been implicated as an adverse prognostic marker. Elevated protein levels are additionally associated with a variety of disease states, including venous thromboembolic disease, systemic lupus erythematosus, chronic renal failure, and preeclampsia. [provided by RefSeq, Aug 2014] |
| <b>Usage</b>                            | Research use only  |
| <b>Conjugate</b>                        | PE-conjugated  |

