

## PRODUCT INFORMATION

|   |  |
|---|--|
| <b>Clone ID</b>                         | DMC471   |
| <b>Target</b>                           | IL22   |
| <b>Synonyms</b>                         | IL-22;IL-TIF;ZCYTO18   |
| <b>Host Species</b>                     | Rabbit   |
| <b>Description</b>                      | PE-conjugated Anti-IL22 antibody(DMC471); IgG1 Chimeric mAb  |
| <b>Delivery</b>                         | 3-4 weeks  |
| <b>Uniprot ID</b>                       | Q9GZX6   |
| <b>IgG type</b>                         | Rabbit/Human Fc chimeric IgG1  |
| <b>Clonality</b>                        | Monoclonal   |
| <b>Reactivity</b>                       | Human  |
| <b>Applications</b>                     | Flow Cyt   |
| <b>Recommended Dilutions</b>            | Flow Cyt 1:100   |
| <b>Purification</b>                     | Purified from cell culture supernatant by affinity chromatography  |
| <b>Formulation &amp; Reconstitution</b> | Liquid□PBS with 0.05% Proclin300, 1% BSA   |
| <b>Storage &amp; Shipping</b>           | Store at 2°C-8°C for 6 months  |
| <b>Background</b>                       | This gene is a member of the IL10 family of cytokines that mediate cellular inflammatory responses. The encoded protein functions in antimicrobial defense at mucosal surfaces and in tissue repair. This protein also has pro-inflammatory properties and plays a role in the pathogenesis of several intestinal diseases. [provided by RefSeq; Jul 2018] |
| <b>Usage</b>                            | Research use only  |
| <b>Conjugate</b>                        | PE-conjugated  |

