

PRODUCT INFORMATION

Uniprot ID Q12864 ARB102 **Common Name Synonyms** Cadherin-17 **Applications** ELISA, Flow Cyt

Recommended

Dilutions

ELISA 1:5000-10000, Flow Cyt 1:100

Formulation & Reconstitution Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis

for specific instructions of reconstitution.

Host Species Humanized

IgG type lgG1 Reactivity Human **Target** CDH17

Description Anti-CDH17(ARB102 biosimilar) mAb

Delivery In Stock

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store

Email: info@dimabio.com Website: www.dimabio.com

Storage & Shipping at -80°C (Avoid repeated freezing and thawing). Lyophilized antibodies are shipped at ambient

témperature.

Research grade biosimilar. Not for use in

Background therapeutic or diagnostic procedures for humans

or animals.

Usage Research use only





Anti-CDH17(ARB102 biosimilar) mAb ELISA

0.2 μg of Human CDH17, His tagged protein per well




Figure 1. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human CDH17 Protein, His Tag (PME100801) can bind Anti-CDH17(ARB102 biosimilar) mAb (BME100198) in a linear range of 0.64–16 ng/mL.




Figure 2. Flow cytometry analysis with $1\mu g/mL$ Anti-CDH17(ARB102 biosimilar) mAb (BME100198) on Expi293 cells transfected with Human CDH17 protein (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram).

Email: info@dimabio.com Website: www.dimabio.com





Anti-CDH17(ARB102 biosimilar) mAb ELISA

 $0.05~\mu g$ of Cynomolgus CDH17, His tagged protein per well




Figure 3. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Cynomolgus CDH17 Protein, His Tag (PME-C100029) can bind Anti-CDH17(ARB102 biosimilar) mAb (BME100198) in a linear range of 3.20–400 ng/mL.

Email: info@dimabio.com Website: www.dimabio.com

