

PRODUCT INFORMATION

P08581
LA480, LY-2875358, LY2875358
MET
ELISA, Flow Cyt
ELISA 1:5000-10000, Flow Cyt 1:100
Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
Humanized
IgG4(F114A,L115A)
Human
MET
Anti-MET(emibetuzumab biosimilar) mAb
In Stock
Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized antibodies are shipped at ambient temperature.
Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals.
Research use only
Unconjugated





Anti-MET(emibetuzumab biosimilar) mAb ELISA

0.2 μg of Human MET, His tagged protein per well




Figure 1. ELISA plate pre-coated by 2 µg/mL (100 µL/well) Human MET Protein, His Tag (PME101405) can bind Anti-MET(emibetuzumab biosimilar) mAb (BME100245) in a linear range of 0.64–80 ng/mL.




Figure 2. MET protein is expressed on the surface of Expi293 cell membrane. Flow cytometry analysis with 1 μ g/mL Anti-MET(emibetuzumab biosimilar) mAb (BME100245) (Blue histogram) or isotype control mAb (Red histogram) on Expi293 cells.

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)

Email: info@dimabio.com Website: www.dimabio.com

