

PRODUCT INFORMATION

Clone ID DM58 CD27 **Target**

Synonyms CD27; TNFRSF7; S152; T14; Tp55

Host Species Rabbit

PE-conjugated Anti-CD27 antibody(DM58); Rabbit Description

mAb

Delivery 3-4 weeks **Uniprot ID** P26842 IgG type Rabbit IgG Clonality Monoclonal Reactivity Human **Applications** Flow Cyt

Recommended Flow Cyt 1:100 **Dilutions**

Purified from cell culture supernatant by affinity **Purification**

chromatography

Formulation & Liquid PBS with 0.05% Proclin300, 1% BSA Reconstitution

Storage & Shipping Store at 2°C-8°C for 6 months

> The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor is required for generation and long-term

> maintenance of T cell immunity. It binds to ligand CD70; and plays a key role in regulating B-cell activation and immunoglobulin synthesis. This receptor transduces signals that lead to the activation of NF-kappaB and MAPK8:JNK. Adaptor proteins TRAF2 and TRAF5 have been shown to mediate the signaling process of this receptor. CD27-binding protein (SIVA); a proapoptotic protein can hind to this recenter and in thought

> protein; can bind to this receptor and is thought to play an important role in the apoptosis induced

by this receptor.

Usage Research use only PE-conjugated Conjugate

Background



